

# INDEX MAPS.

## T. 8N, R. 11E. 2<sup>nd</sup> Mer.

	7		7		7-8		6-8		6-8		6-8	
11	6	29	5	27	4	26	3	26	2	25	1	5
	28		28		27		26		25		24	
10	7	28	8	27	9	26	10	25	11	24	12	5
	22		22		23		23		23		24	
10	18	22	17	21	16	20	15	19	14	18	13	5
	21		22		20		19		19		18	
9	19	21	20	20	21	19	22	18	23	17	24	4
	16		16		16		16		17		17	
9	30	15	29	14	28	14	27	13	26	12	25	4
	15		15		14		13		12		11	
8	31	15	32	14	33	13	34	12	35	11	36	3
	1-3		1-3		1-2		1-2		1-2		2	

## T. 9N, R. 11E. 2<sup>nd</sup> Mer.

	38		37		37		37		36		36	
40	6	63	5	59	4	54	3	50	2	45	1	35
	63		59		58		54		49		45	
39	7	63	8	58	9	54	10	49	11	44	12	35
	64		62		58		53		49		44	
39	18	62	17	57	16	53	15	48	14	43	13	35
	64		62		57		52		48		43	
39	19	61	20	56	21	52	22	47	23	42	24	34
	64		61		56		51		47		42	
39	30	61	29	56	28	51	27	46	26	41	25	34
	65		60		55		51		46		41	
38	31	60	32	55	33	50	34	45	35	41	36	33
	32		32		31-32		31-33		31-33		31-33	

The figures on the lines refer to the page.

31  
Township N. 9 North, Range N. 11 East 2<sup>d</sup>. Mer. Indiana

South Boundary. Random line  
West On S. boundary of Sec. 36, T9 N. R11 E.  
30.00 a watercourse 5 lks. wide Course S. W.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
54.00 Laughery Creek at a bend runs S. line runs  
up it 450 lks. leave it on same side Course up it S. W.  
68.25 Same Creek 130 lks. wide runs S. W.  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 35 & 36  
Land hilly, timber Beech, Oak, Hickory, ash,  
Sugar &c. January 14<sup>th</sup> 1807

---

West On S. boundary of Sec. 35  
24.00 a watercourse 10 lks. wide runs N.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
72.60 a watercourse 5 lks. wide runs N.  
76.60 a Do. 8 " " " N.E. line runs up it  
156 lks. Course up it N. W.  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 34 & 35  
Land broken, timber Beech, Sugar, Oak, Hickory  
Poplar, Oak &c.

---

West On S. boundary of Sec. 34  
2.40 a Watercourse 4 lks. wide runs N.E.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34  
Land flat timber, Beech, Hickory, Poplar,  
Oak, Gum, Maple &c

---

West On S. boundary of Sec. 33  
18.25 a Watercourse 5 lks. wide Course South  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
44.40 a Watercourse 6 lks. wide runs S. E.  
80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33  
Land flat, timber Beech, Sugar, Poplar, Oak  
Hickory, Gum &c.

---



T9N R11E. 2<sup>d</sup> Mer. Indiana

ch. lks.

West On S. boundary of Sec. 32

40.00 Set temp. q. Sec. post

76.75 a Watercourse 15 lks. wide runs S80 E.

80.00 Set temp. Cor. to Sec. 31 &amp; 32

Land waving, timber Beech, Oak, Sugar  
Poplar, Hickory, Ash &c.

West On S. boundary of Sec. 31

1.05 a Watercourse 8 lks. wide runs S.

14.00 a do. 4 lks. " " S.

40.00 Set temp. q. Sec. post

55.08 Intersected the W. boundary of Sec. 27 lks. S. of  
the post - Land level, timber Beech,  
Oak, Poplar, Ash, Sugar &c.

## True. Line.

East On S. boundary of Sec. 31, T9N R11E.

15.08 Set q. Sec. post, from which

a Beech 8 in. diam. bray N54W13 lks. dist. &amp;

a do. 8 " " " S49E30 " "

20.00 a Poplar 16 " "

55.08 Set post Cor. to Sec. 31 &amp; 32, from which

a Sugar 24 in. diam. bray East 13 lks. dist. &amp;

a Hickory 13 " " " N70W10 " "

East On S. boundary of Sec. 32

40.00 Set q. Sec. post, from which

a Beech 20 in. diam. bray S74E25 lks. dist. &amp;

a do. 9 " " " S69W25 " "

80.00 Set post Cor. to Sec. 32 &amp; 33, from which

an Ash 22 in. diam. bray S57E28 lks. dist. &amp;

an Elm 16 " " " S52W2 " "

East On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which

a Beech 16 in. diam. bray S47E33 lks. dist. &amp;

T9 N. R11 E. 2<sup>d</sup>. Mer. Indiana

33

ch. lky.

a Beech 9 in. diam. bray N67°W 11 lky. dist.  
80.00 Set post cor. to sec. 33 & 34, from which  
a W. Oak 20 in. diam. bray N127°W 27 lky. dist. &  
a Beech 7 " " " S80°E 30 " "

East On S. boundary of Sec. 34

40.00 Set q. sec. post, from which  
a Beech 8 in. diam. bray N72°E. 21 lky. dist. &  
a Do. 6 " " " S47°W 31 " "  
80.00 Set post cor. to sec. 34 & 35, from which  
a Sugar 7 in. diam. bray N76°E 10 lky. dist. &  
a Beech 24 " " " N58°W 12 " "

East On S. boundary of Sec. 35

40.00 Set q. sec. post, from which  
a Beech 5 in. diam. bray N31°E 5 lky. dist. &  
a Do. 16 " " " N12°W 12 " "  
80.00 Set post cor. to sec. 35 & 36, from which  
a Beech 7 in. diam. bray S87°E 20 lky. dist. &  
a Do. 30 " " " N53°W 11 " "

East On S. boundary of Sec. 36

40.00 Set q. sec. post, from which  
a Beech 9 in. diam. bray S21°E 19 lky. dist. &  
a Do. 15 " " " N38°W 11 " "  
80.00 to the Township Corner.

January 15<sup>th</sup> 1807

East Boundary. var. 5.00' E.

North On E. boundary of Sec. 36, T9 N. R11 E.

7.00 a watercourse 5 lky. wide, runs W.  
25.35 a W. Gum 15 in. diam.  
40.00 Set q. sec. post, from which  
a W. Gum 8 in. diam. bray N20°W 32 lky. dist. &  
a Beech 12 " " " N10°E 7 " "  
45.18 a Poplar 30 " "

T9 N R M E. 2<sup>d</sup>. Mer. Indiana

Ch. Mky.

72.47 a Poplar 42 in. diam.

80.00 Set post Cor. to Sec. 25 of 36, from which  
a Hickory 16 in. diam. bear S 34 W 13 lks. dist. &  
a Beech 12 " " " N 19 E 31 " "  
Land waving, timber Beech, Oak, Hickory  
Poplar, Sugar, Ash &c.

North On E. boundary of Sec. 25

9.83 a Beech 12 in. diam.

22.30 a Poplar 34 in. diam.

40.00 Set of Sec. post, from which  
an Ash 15 in. diam. bear N 85 W 10 lks. dist. &  
a Beech 7 " " " S 76 E 15 " "

40.37 a Do. 17 " "

67.97 a Beech 9 " "

80.00 Set post Cor. to Sec. 24 of 25, from which  
a Sugar 12 in. diam. bear S 27 E 10 lks. dist. &  
a Hickory 8 " " " N 14 W 31 " "  
Land level, timber Beech, Oak, Ash, Sugar,  
Poplar, Hickory &c.

North On E. boundary of Sec. 24

22.50 touched a small bend of a brook 50 lks. wide

26.25 Crossed same brook rung N.W.

40.00 Set of Sec. post, from which  
a Beech 15 in. diam. bear N 28 W 4 lks. dist. &  
a Sugar 11 " " " South 467 " "

47.10 a Watercourse 6 lks. wide rung S.W.

53.50 a Do. 5 " " " S.W.

74.44 a Beech 16 in. diam.

80.00 Set post Cor. to Sec. 13 of 24, from which  
a W. Oak 48 in. diam. bear S 20 W 40 lks. dist. &  
a Beech 13 " " " N 17 E 30 " "  
Land hilly, timber Beech, Oak, Hickory, Poplar  
Sugar, &c.

S 9 N R 11 E, 2<sup>d</sup> Mer. Indiana

35

ch. lks.

North On E. boundary of Sec. 13

16.90 a Watercourse 10 lks. wide Course S.W.

27.94 a Beech 28 in. diam.

34.60 a Watercourse 8 lks. wide runs N.

40.00 Set q. sec. post, from which  
a Beech 16 in. diam. bears N 31 W 35 lks. dist. &  
a do. 10 " " " S 49 E 18 " "

63.84 a Beech 16 " "

77.50 Sanghey Creek 75 lks. wide runs S.W.

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 12 in. diam. bears North 5 lks. dist. &  
a do. 16 " " " S 20 E 28 " "

Land hilly, timber, &c. same as on last mile

North On E. boundary of Sec. 12

3.90 a Bayou 30 lks. wide runs S.E.

4.95 a Sugar 25 in. diam.

19.25 Sanghey 75 lks. wide runs S.E.

32.30 an Elm 14 in. diam.

38.10 a Brook 25 lks. wide Course S.W.

40.00 Set q. sec. post, from which  
a Buckeye 16 in. diam. bears N 4 W 12 lks. dist. &  
a Hickory 15 " " " S 32 E 20 " "

45.00 a Beech 30 " "

76.50 a Brook 40 lks. wide runs S.E.

80.00 Set post Cor. to Sec. 11 & 12, from which  
a W. Oak 44 in. diam. bears N 30 E 24 lks. dist. &  
a Sugar 12 " " " S 77 W 22 " "

Land broken, timber Beech, Oak, Hickory  
Sugar, Ash, Poplar &c.

North On E. boundary of Sec. 1

11.10 a Brook 40 lks. wide runs S.W.

26.15 a B. Gum 18 in. diam.

27.65 the same Brook 40 lks. wide runs E.

31.50 the same do. 30 lks. " " S.W.



T9 N. R11 E. 2.<sup>d</sup> Mer. Indiana

ch. lks.

- 32.90 a Brook 30 lks. wide run E.  
 40.00 Set gr. Sec. post, from which  
 a Lycamore 46 in. diam. bray N41 W44 lks. dist. of  
 an Ash 36 " " " S70 E51 " "  
 42.95 a Hickory 14 " "  
 80.00 Set post Cor. to Township 9 of 10 North, of  
 Range 11 of 12 East, from which  
 a Sugar 26 in. diam. bray S26 E35 lks. dist. of  
 a Poplar 42 " " " N22 W47 " "  
 Sand timber &c. same as on the last mile

## North Boundary.

Met On S. boundary of Sec. 36, T10 N. R11 E.

- 5.25 a Brook 30 lks. wide run S.  
 16.51 a Beech 14 in. diam.  
 32.15 a Brook 30 lks. wide run S.  
 40.00 Set gr. Sec. post, from which  
 a Beech 6 in. diam. bray N37 W20 lks. dist. of  
 a Do. 13 " " " S64 W3 " "  
 42.03 a D. Gum 17 " "  
 55.75 a Watercourse 5 lks. wide run S.  
 76.00 a Beech 15 in. diam.  
 80.00 Set post Cor. to Sec. 35 of 36, from which  
 a Beech 13 in. diam. bray N39 E14 lks. dist. of  
 a W. Oak 54 " " " S78 W42 " "  
 Sand, waving timber Beech, Oak, Poplar, Ash,  
 Hickory, Gum &c.

Met On S. boundary of Sec. 35, T10 N. R11 E.

- 18.08 a Poplar 17 in. diam.  
 29.20 a Watercourse 6 lks. wide run S. E.  
 40.00 Set gr. Sec. post, from which  
 a Beech 18 in. diam. bray N82 E24 lks. dist. of  
 a Do. 10 " " " S57 W12 " "  
 69.50 a Watercourse 6 lks. wide run S. W. 100 lks. thence with the line  
 70.23 a Blk. Oak 24 in. diam.

Sgt. R. M. E. 2<sup>d</sup>. Mer. Indiana

37

Ch. Lky.

80.00 Let post Cor. to Sec. 34 & 35, from which  
a Beech 6 in. diam. : bray S 25 W. 26 lky. dist. 9  
a Do. 18 " " " N 65 E 9 " "  
Land level, timber same as on last mile

Nest On S. boundary of Sec. 34, T10 N. R. M. E.

10.50 at Brook 20 lky. wide course S. W.

13.50 a Do 6 " " " S.

14.25 a Sugar 17 in. diam.

40.00 Let q. Sec. post, from which  
a Beech 16 in. diam. : bray N 23 W 4 lky. dist. 9  
a Do. 6 " " " S 41 E 15 " "

43.40 a Beech 16 " "

80.00 Let post Cor. to Sec. 33 & 34, from which  
a Beech 6 in. diam. : bray S 49 W 15 lky. dist. 9  
a Do. 16 " " " N 42 E 5 " "  
Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 33, T10 N. R. M. E.

8.82 a Beech 22 in. diam.

9.75 a Brook 25 lky. wide run S. W.

27.51 Intersected the Boundary, let post from which  
a Sugar 16 in. diam. : bray N 7 W 2 lky. dist. 9  
a Beech 11 " " " S 33 E 23 " "

Land waving timber same as on last mile  
Jan. 24<sup>th</sup>. 1807 John Brownson, D. S.

40.00 Let q. Sec. post, from which  
a Beech 5 in. diam. : bray S 83 W 15 lky. dist. 9  
a Do. 5 " " " S 67 E 9 " "

73.00 a Brook 14 lky. wide S. E.  
80.00 Let post Cor. to Sec. 32 & 33, from which  
a Beech 14 in. diam. : bray North 5 lky. dist. 9  
a Do. 12 " " " S 31 W 19 " "

June 10<sup>th</sup>. 1819

Nest On S. boundary of Sec. 32, T10 N. R. M. E.

40.00 Let q. Sec. post, from which



T9 N. R21 E. 2<sup>d</sup>. Mer. Indiana  
ch. lks.

at Beech 20 in. diam. - bray S85 E 19 lks. dist. of  
a do. 18 " " " S81 W 24 " "  
80.00 Set post cor. to Sec. 31 & 32,  
(the Bearing trees Omitted)  
Over rolling land, Beech, Oak &c.

West On S. boundary of Sec. 31, T9 N. R21 E.  
40.00 Set gr. sec. post, from which  
a Beech 8 in. diam. - bray N33 E. 9 lks. dist. of  
a do. 8 " " " S53 W 19 " "  
53.06 Intersected the Range line at the cor. of  
Township 9 & 10 N. Range 10 & 11 E.  
Over level Beech land  
Surveyed in 1819 By  
John M. McDonald  
Deputy Surveyor

West Boundary. var. 5.00' E.  
North On E. boundary of Sec. 36, T9 N. R10 E.  
0.80 at Beech 24 in. diam.  
3.00 a Watercourse 8 lks. wide run W.  
12.63 at Beech 30 in. diam.  
39.00 a Watercourse 5 lks. wide run W.  
40.00 Set gr. sec. post, from which  
a Beech 15 in. diam. - bray N76 W 39 lks. dist. of  
a do. 12 " " " N62 E 6 " "  
55.82 a Blk. Gum 22 " "  
63.25 a Watercourse 8 lks. wide run S.W.  
67.11 a W. Oak 42 in. diam.  
75.76 a Watercourse 5 lks. wide run S.W.  
80.00 Set post cor. to Sec. 25 & 36, from which  
a Hornbeam 6 in. diam. - bray N41 E 17 lks. dist. of  
a Beech 14 " " " S45 W 21 " "  
Land waving timber Beech, Oak, Sugar,  
Aichory, Poplar &c. Jan'y. 12<sup>th</sup>. 1807

T9 N R10 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/4.

North On E. boundary of Sec. 25, T9 N. R10 E.

9.10 a Watercourse 5<sup>th</sup> wide Course S. W.

18.27 a Sweet Gum 22 in. diam.

40.00 Set of Sec. post, from which

a Beech 16 in. diam. bray S 71° W 8<sup>th</sup> dist. of

a do. 11 " " " N 45° E 34 " "

77.48 a Poplar 48 " "

80.00 Set post Cor. to Sec. 24 &amp; 25, from which

a Beech 24 in. diam. bray S 31° W 34<sup>th</sup> dist. of

a W. Oak 42 " " " N 24° E 29 " "

Sand level, timber &amp;c. same as on the last mile

North On E. boundary of Sec. 24, T9 N. R10 E.

40.00 Set of Sec. post, from which

a S. Gum 13 in. diam. bray N 50° E 13<sup>th</sup> dist. of

a Beech 7 " " " S 73° W 12 " "

49.10 a do. 28 " "

73.70 a Poplar 24 " "

80.00 Set post Cor. to Sec. 13 &amp; 24, from which

a Beech 7 in. diam. bray N 33° E 2<sup>th</sup> dist. of

a do. 9 " " " S 4° W 19 " "

Sand flat, timber &amp;c. same as on last mile

North On E. boundary of Sec. 13, T9 N. R10 E.

30.32 an Elm 20 in. diam.

36.60 a Watercourse 6<sup>th</sup> wide runs S. W.

40.00 Set of Sec. post, from which

an Elm 22 in. diam. bray South 9<sup>th</sup> dist. of

a Beech 24 " " " N 17° E 46 " "

43.58 a do. 22 " "

80.00 Set post Cor. to Sec. 12 &amp; 13, from which

a Beech 12 in. diam. bray South 8<sup>th</sup> dist. of

a do. 11 " " " N 22° E 12 " "

Sand timber &amp;c. same as on the last mile

North On E. boundary of Sec. 12, T9 N. R10 E.

T9N. R11E. 2<sup>d</sup>. Mer. Indiana

ch. l. lks.

- 9.59 a Beech 24 in. diam.  
 16.40 a Watercourse 6 lks. wide Course with the line 375 lks. N.E.  
 33.40 a W. Oak 40 in. diam.  
 37.21 Indian boundary a Beech 4 in. dist. from which  
 a W. Oak 32 in. diam. bear S 51° W 20 lks. dist. of  
 a Beech 7 " " " N 48 E — " "  
 Land level, timber Beech, Maple, Elm,  
 Oak, Hickory, Poplar &c. Jan'y. 13. 1807  
 John Brownson, D. S.  
 40.00 Set of sec. post, from which  
 a Beech 14 in. diam. bear N 42° W 10 lks. dist. of  
 a Do. 13 " " " N 71 E 16 " "  
 75.15 an Elm 24 " "  
 80.00 Set post Cor. to Sec. 1 & 12, from which  
 a — 16 in. diam. bear N 71 E 16 lks. dist. of  
 a Sugar 12 " " " N 33 W 25 " "  
 Land rolling, timber Beech, Sugar, Poplar &c.

North On E. boundary of Sec. 1, T9N. R11E.

- 5.50 a Brook 10 lks. wide Course S.E.  
 19.50 a Do. 10 " " " S.E.  
 22.00 a Sycamore 32 in. diam.  
 40.00 Set of sec. post, from which  
 a Sugar 12 in. diam. bear N 7 E 28 lks. dist. of  
 a Beech 13 " " " N 6 W — " "  
 41.50 a W. Oak 48 " "  
 76.81 Set post Cor. to Townships 9 & 10 North, of  
 Range 10 & 11 E, from which  
 a Beech 8 in. dist. bear S 34° W 2 lks. dist. of  
 a Do. 7 " " " N 19 E 16 " "  
 Over rolling land, timber Oak, Beech, Sugar  
 &c. underg<sup>th</sup>. Spruce. June 24<sup>th</sup> 1819

Surveyed by

John Mc. Donald,

Deputy Surveyor

T9 N. RME. 2<sup>d</sup>. Mer. Indiana 41  
ch. lky.

Subdivision. var 5° 30' E.

North / Between Sec. 35 & 36, T9 N. RME.

- 7.50 a watercourse 4 lks, wide runs E.  
30.75 a Brook 25 lks, wide runs S. E.  
34.38 a H. Oak 10 in. diam.  
40.00 at gr. Sec. post, from which  
a Beech 16 in. diam. bears N 39 E 17 lks, dist. 75  
a Bassafrag 7 " " " N 37 W 10 " "  
69.93 at B. Oak 12 " "  
80.00 at post cor. to Sec. 25, 26, 35 & 36, from which  
a Sugar 28 in. diam. bears North 4 lks, dist. 75  
a Poplar 32 " " " N 18 W 26 " "  
Land hilly, timber Beech, Oak, Poplar, Sugar, Hick, &c.

East On Rand. between Sec. 25 & 36

- 10.30 a Spring branch 3 lks, wide runs N. E.  
20.40 a Brook 8 lks, wide runs S. E.  
23.00 a Langhury Creek 100 lks, wide runs S. W.  
40.00 at temp. gr. Sec. post  
52.20 a watercourse 6 lks, wide runs S. about 300 lks, where it  
falls into Langhury Creek  
80.35 Intersected the E. boundary 3 lks, S. of post.  
Land very hilly, timber Beech, Sugar, Oak, Ash,  
Hickory &c. underg. <sup>red</sup> Spruce & Logwood

West Connected between Sec. 25 & 36

- 4.90 an ash 16 in. diam.  
53 60.20 at Beech 15 " "  
40.17 1/2 at gr. Sec. post, from which  
a Beech 16 in. diam. bears S 36 W 15 lks, dist. 75  
a Do. 16 " " " N 37 E 36 " "  
63.85 an Elm 17 " "  
80.35 to Sec. Corner.

North / Between Sec. 25 & 26

- 3.40 a Beech 28 in. diam.



# *S. N. R. M. E. I. Mer. Indiana*

ch. P. lky

- 7.30 at Brook 8 lky. wide runy S. E.  
 16.52 a B. Walnut 34 in. diam.  
 35.90 Langhury Creek 80 lky. wide runy S. E.  
 40.00 at gr. Sec. post, from which  
     a Sugar 16 in. diam. bran N 67 W 17 lky. dist. 5  
     a Hornbeam 5 " " " S 49 E 6 " "  
 50.45 Langhury Creek runy S. W.  
 51.68 a Hickory 13 in. diam.  
 61.05 a Watercourse 8 lky. wide Course S. E.  
 66.50 touched a bend of Langhury Cr.  
 80.00 at post Cor. to Sec. 23, 24, 25, 26, from which  
     a Poplar 46 in. diam. bran N 11 E 9 lky. dist. 5  
     a Beech 8 " " " N 8 W 31 " "  
 Sand hilly, timber Beech, Oak, Sugar, Poplar  
 Ash &c.

## *East On Rand. between Sec. 24 & 25*

- 4.50 Langhury Creek runy S. W.  
 40.00 at timpr. gr. Sec. post  
 48.00 a watercourse 4 lky. wide runy N.  
 80.17 intersected the E. boundary 25 lky. S. of post  
 Sand timber &c. same as on the last mile

## *West Corrected between Sec. 24 & 25*

- a Beech 16 in. diam.  
 40.08 at gr. Sec. post at average dist. from which  
     a Beech 17 in. diam. bran N 21 E 7 lky. dist. 5  
     a Do. 30 " " " S 45 W 44 " "  
 61.40 a Beech 13 " "  
 80.17 to Sec. Corner Jan'y. 26<sup>th</sup> 1807

## *North Between Sec. 23 & 24*

- 6.75 a Watercourse 6 lky. wide runy N. E.  
 7.60 Langhury Creek 80 lky. wide runy S. E.  
 9.64 a Beech 13 in. diam.  
 27.00 Langhury Creek 80 lky. wide runy S. W.

Sg. N. R. M. E. 2<sup>nd</sup> Mer. Indiana 43

ch. lks.

- 40.00 Set of sec. post, from which  
a Beech 13 in. diam. by N 31 E 23 lks. dist. of  
a Do. 10 " " " S 36 W 21 " "
- 44.56 an Ash 30 " "
- 52.80 a Spring runs N.E.
- 59.00 a watercourse 6 lks. wide runs N.E.
- 60.70 a Sugar 15 in. diam.
- 62.25 a Watercourse 8 lks. wide runs S.E.
- 72.80 a Do. 6 " " " S.E.
- 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a Hickory 19 in. diam. by N 63 E 23 lks. dist. of  
a Sugar 13 " " " S 69 W 10 " "
- Land waving, timber Beech, Oak, Sugar,  
Hickory, Poplar &c.

East on Rand<sup>m</sup>. between Sec. 13 & 24

- 17.15 a watercourse 12 lks. wide runs S.E.
- 26.75 a Creek 60 lks. wide course S.W.
- 55.80 a Watercourse 8 lks. wide runs N.W.
- 79.67 Intersected E. boundary 47 lks. S. of post  
Land timber &c. same as on the last mile

West Connected between Sec. 13 & 24

- 6.81 a Beech 12 in. diam.
- 39.83 1/2 Set of sec. post at average dist. from which  
a Sugar 12 in. diam. by N 56 1/2 E 27 lks. dist. of  
a Do. 10 " " " S 56 W 37 " "
- 46.48 a Beech 30 " "
- 60.77 an Ash 17 " "
- 79.67 to Sec. Corner.

North Between Sec. 13 & 14

- 4.34 a Beech 16 in. diam.
- 11.00 a watercourse 6 lks. wide runs N.E.
- 11.30 a Do. 8 lks. " " S.E.
- 14.76 a Beech 15 in. diam.



## T9 N - R11 E. D. Mer. Indiana

Ch<sup>2</sup>. Lk<sub>2</sub>

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 12 in. diam. tray N81 E 8 lks. dist. of  
 a Beech 8 " " " S78 W10 " "

42.32 a Do. 13 " "

54.25 a Watercourse 4 lks. wide runs E.

64.50 a Do. 6 lks. " " S.E.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Beech 13 in. diam. tray N34 E 2 lks. dist. of  
 a Do. 17 " " " S88 W32 " "  
 Sand timber &c. same as on the last mile

East On Rand<sup>m</sup>. between Sec. 12 & 13

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

40.60 a Brook 15 lks. wide Course N.E.

77.10 a Do. 25 lks. " " South

79.65 Intersected the E. boundary 29 lks. S. of post  
 Sand timber &c. same as on the last mile

## West Corrected between Sec. 12 &amp; 13

6.58 a Beech 46 in. diam.

39.87 1/2 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 14 in. diam. tray N10 E 8 lks. dist. of  
 a B. Oak 18 " " " S8 E 39 " "

43.07 a Poplar 18 " "

58.86 an Ash 16 " "

79.65 to Sec. Corner

## North Between Sec. 11 &amp; 12

3.90 a Beech 16 in. diam.

15.00 a Watercourse 10 lks. wide runs E.

31.80 a Creek 60 lks. wide runs E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 13 in. diam. tray N39 W 22 lks. dist. of  
 a Do. 18 " " " S7 E 16 " "

54.47 a W. Oak 40 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which

T9 N R11 E 2<sup>nd</sup> Mer. Indiana 45

Ch. lky.

a B. Gum 11 in. diam. bray N12W32 lky. dist. of  
a Poplar 36 " " " S22W25 " "  
Land timber &c. Same as on the last mile

East On Rand<sup>m</sup>. between Sec. 1 & 12

39.30 a watercourse 8 lky. wide runs S.  
40.00 Let temp. q. Sec. post  
78.30 a Brook 4 lky. wide Course S.E.  
79.80 Intersected the E. boundary 28 lky. S. of post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 1 & 12

17.46 an Ash 18 in. diam.  
39.90 Let q. Sec. post at average dist. from which  
a Beech 10 in. diam. bray N36W19 lky. dist. of  
a Do. 5 " " " S60E11 " "  
61.00 a B. Oak 30 " "  
79.80 to Sec. Corner

North Between Sec. 1 & 2, T9 N R11 E

10.24 a W. Oak 42 in. diam.  
12.70 a Watercourse 6 lky. wide runs E.  
34.00 a Do. 5 " " " E.  
36.34 a W. Oak 24 in. diam.  
40.00 Let q. Sec. post, from which  
a Beech 12 in. diam. bray N74W9 lky. dist. of  
a Poplar 18 " " " S72E27 " "  
55.00 a Watercourse 6 lky. wide runs N.E.  
63.30 a Do. 8 " " " E.  
81.31 Intersected N. boundary 56 lky. E. of post  
Let post cor. to Sec. 1 & 2, from which  
a W. Oak 48 in. diam. bray N29E25 lky. dist. of  
a Beech 11 " " " S31W34 " "  
Land Broken, timber Same. Aug. 27<sup>th</sup> 1807

North Between Sec. 34 & 35

T9 N 1211 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

- 1.05 a Watercourse 6 lks. wide runs E.  
 11.50 a Do. 5 " " " E  
 16.50 a Do. 6 " " " S. E.  
 30.14 a Beech 24 in. diam.  
 40.00 Set q<sup>r</sup>. sec. post, from which  
     a Sym 10 in. diam. bears N 39° 11' 32" lks. dist. of  
     a Beech 9 " " " N 47° E 7 " "  
 43.10 a Watercourse 15 lks. wide runs E.  
 47.70 a Beech 30 in. diam.  
 60.50 a watercourse 4 lks. wide Course S. E.  
 80.00 Set post Cor. to sec. 26, 27, 34 & 35, from which  
     an Elm 8 in. diam. bears S 84° 11' 9" lks. dist. of  
     a Beech 16 " " " S 81° E 21 " "  
 Land waving, timber Beech, Oak, Ash,  
 Poplar, Sugar &c.
- 

East On Rand<sup>m</sup>. between Sec. 26 & 35

- 10.75 a Watercourse 4 lks. wide runs S. E.  
 26.90 a Do. 6 " " " S.  
 40.00 Set temp<sup>t</sup>. q<sup>r</sup>. sec. post  
 62.00 a Watercourse 4 lks. wide runs N. E.  
 68.80 a Do. 4 " " " N.  
 79.87 Intersected the N & S. line 22 lks. S. of the post  
 Land waving. very brushy, timber Small Oak,  
 Hickory, Beech, Sugar, Poplar, Cherry, Crabtree &c
- 

West Corrected between Sec. 26 &amp; 35

- 0.26 a Beech 11 in. diam.  
 20.05 a N. Oak 11 " "  
 39.93<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. sec. post, at average dist. from which  
     a N. Oak 12 in. diam. bears N 85° 11' 16" lks. dist. of  
     a Do. 7 " " " N 81° E 16 " "  
 79.87 to sec. corner.
- 

North Between Sec. 26 &amp; 27

- 24.90 a watercourse 5 lks. wide runs E.

ch. P. lks.

- 28.89 a Poplar 13 in. diam.  
 31.80 a watercourse 5 lks. wide runs E.  
 33.00 a Deer lick 100 lks. west of the line  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 30 in. diam. bears N 53° W 19 lks. dist. &  
     a Do. 6 " " " S 39° E 18 " "  
 51.02 a Beech 26 " "  
 68.56 a Do. 27 " "  
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
     a Beech in. diam. bears S 63° E 24 lks. dist. &  
     a Do. 7 " " " N 43° W 23 " "  
 Sand level timber Beech, Sugar, Poplar  
 Oak, Ash &c.

East Out Land<sup>m</sup>. between Sec. 23 & 26

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 52.70 a watercourse 8 lks. wide runs S. E.  
 79.86 Intersected the N of S. line 24 lks. N. of post  
 Sand Broken, timber, Beech, Poplar, Sugar,  
 Hickory, Oak, Ash &c.

West Corrected between Sec. 23 &amp; 26

- 0.71 a Beech 11 in. diam.  
 39.93 Set q<sup>r</sup>. Sec. post at average dist. from which  
     a Beech 18 in. diam. bears N 55° W 16 lks. dist. &  
     a Sugar 7 " " " S 25½° E 33 " "  
 70.15 a Beech 16 " "  
 79.86 to Sec. Corner.

North 1 Between Sec. 22 &amp; 23

- 3.60 a watercourse 6 lks. wide runs N. E.  
 32.50 a Beech 14 in. diam.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Hickory 16 in. diam. bears North 37 lks. dist. &  
     an Elm 15 " " " S 18° W 15 " "  
 40.20 a watercourse 12 lks. wide runs N. W.

T<sup>9</sup>N - R<sup>11</sup>E. 2<sup>nd</sup> Mer. Indianach<sup>2</sup> l<sup>1</sup>y.

60.00 a Hickory 14 in. diam.

63.45 Same watercourse run N. E.

69.00 Same do. run N. W.

80.00 Set post Cor. to Sec<sup>s</sup>. 14, 15, 22 & 23, from which  
 a Beech 12 in. diam. bear N 53 E 8 l<sup>1</sup>y. dist. of  
 a do. 9 " " " S 24 W 11 " "  
 Land waving, timber Beech, Oak, Poplar  
 Sugar, Ash &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 14 & 2340.00 Set temp<sup>y</sup>. gr. Sec. post

79.60 Intersected the N & S. line 69 l<sup>1</sup>y. N. of post  
 Land level, timber Beech, Oak, Poplar, Hickory &c.

West Connected between Sec<sup>s</sup>. 14 & 23

39.26 a Beech 15 in. diam.

39.80 Set gr. Sec. post, at average dist. from which  
 a Beech 13 in. diam. bear N 55 W 22 l<sup>1</sup>y. dist. of  
 a do. 14 " " " N 26 E 20 " "

46.66 a Beech 16 " "

79.60 to Sec. Corner Jun<sup>y</sup>. 28<sup>th</sup> 1807North Between Sec<sup>s</sup>. 14 & 15, T<sup>9</sup>N. R<sup>11</sup>E.

2.71 a Beech 18 in. diam.

13.90 a water course 6 l<sup>1</sup>y. wide run W

16.98 a Beech 30 in. diam.

28.60 a Watercourse 10 l<sup>1</sup>y. wide run W.

40.00 Set gr. Sec. post, from which

a Beech 13 in. diam. bear North 2 l<sup>1</sup>y. dist. of  
 a Sugar 16 " " " S 15 W 23 " "

51.50 a Watercourse 8 l<sup>1</sup>y. wide run W.

62.90 a Beech 18 in. diam.

80.00 Set post Cor. to Sec<sup>s</sup>. 10, 11, 14 & 15, from which  
 a Beech 12 in. diam. bear N 49 W 30 l<sup>1</sup>y. dist. of  
 a do. 7 " " " S 32 E 17 " "  
 Land waving, timb. Beech, Oak, Sugar, Poplar, Ash &c.



T 9. N. 1211 E. 2<sup>nd</sup> Mer. Indiana

49

ch. 2. 1/2.

East On Rand<sup>m</sup> between Sec. 11 & 14

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

79.60 Intersected the N & S. line 26 1/2 m. N. of post  
Land waving, timber Beech, Oak, Hickory  
Poplar, Sugar etc.

West Corrected between Sec. 11 & 14

4.72 a Beech 18 in. diam<sup>r</sup>.

18.14 a Do. 24 " "

39.80 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. diam<sup>r</sup>. bear S 87 E 8 1/2 m. dist. of  
a Do. 9 " " " N 44 W 25 " "

57.45 a Blk. Gum 17 " "

79.60 to Sec. Corner

North Between Sec. 10 & 11

17.01 a Blk. Gum 12 in. diam<sup>r</sup>.

26.50 a Creek 60 yds. wide run N. E.

40.00 Set g<sup>r</sup>. Sec. post, from which  
a Sugar 11 in. diam<sup>r</sup>. bear N 26 W 19 1/2 m. dist. of  
a Do. 10 " " " S 37 E 19 " "

43.30 a Hickory 24 " "

53.20 a Watercourse 6 yds. wide run E.

77.80 a Do. 4 " " " S. E.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Poplar 12 in. diam<sup>r</sup>. bear N 32 E 15 1/2 m. dist. of  
a Beech 11 " " " S 23 W 26 " "  
Land timber etc. same as on the last mile

East On Rand<sup>m</sup> between Sec. 2 & 11

2.70 a watercourse 6 yds. wide run S.

16.00 a Do. 6 " " " S

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

79.46 Intersected the N & S. line 53 1/2 m. N. of post  
Land level, timber Beech, Oak, Ash, Poplar  
Hickory, Gum etc.



## T9 N. R11 E. 2. Mer. Indiana

ch. lks.

West Corrected between Sec. 2 &amp; 11

18.96 a Beech 13 in. diam.

39.73 Set q. Sec. post at average dist. from which  
a Beech 9 in. diam. bear S 62° W 5 lks. dist. of  
a Do. 7 " " " N 66° E 30 " "

61.60 a Beech 30 " "

79.46 to Sec. Corner.

North Between Sec. 2 &amp; 3, T9 N. R11 E.

24.98 a Poplar 36 in. diam.

35.05 a watercourse 6 lks. wide runs W.

40.00 Set q. Sec. post, from which  
a Beech 10 in. diam. bear N 57° W 29 lks. dist. of  
a Sugar 12 " " " East 28 " "

44.70 a water course 6 lks. wide runs S. W.

44.06 a Beech 15 in. diam.

79.50 a Watercourse 6 lks. wide runs W.

81.54 Intersected the N. Boundary 16 1/2 lks. E. of the post  
Set post Cor. to Sec. 2 & 3, from which  
a Beech 10 in. diam. bear N 29° W 11 lks. dist. of  
a Hickory 9 " " " S 35° E 5 " "  
Land waving timber Beech, Oak, Poplar  
Hickory, Sugar &c. Jan. 27<sup>th</sup> 1817

North Between Sec. 33 &amp; 34

12.90 a Beech 18 in. diam.

40.00 Set q. Sec. post, from which  
a Beech 8 in. diam. bear N 3° W 7 lks. dist. of  
a Do. 10 " " " S 20° W 12 " "

51.74 a Beech 16 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Poplar 14 in. diam. bear N 58° E 27 lks. dist. of  
a Beech 9 " " " S 54° W 13 " "  
Land flat timber Beech, Poplar, Oak, Hick.  
Gum, Ash, Maple &c.

ch. lks.

East On Rand<sup>m</sup>. between Secs. 27 & 34

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

54.80 a Brook 15 lks. wide Course N.E.

80.50 Intersected the N & S. line 29 lks. N. of post  
Land waving, to the Brook rich timber Beech,  
elm, Cherry, Hickory, Oak, Walnut, Poplar &c.

West Connected between Secs. 27 & 34

20.55 a Gum 30 in. diam.

40.25 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. diam. bear S 63 E 12 lks. dist. of  
a Mulberry 12 " " " S 65 W 5 " "

73.75 a Poplar 48 " "

80.50 to Sec. Corner

North Between Secs. 27 & 28

29.37 a Maple 14 in. diam.

29.97 a Poplar 14 " "

40.00 Set g<sup>r</sup>. Sec. post, from which  
a Beech 9 in. diam. bear N 89 W 12 lks. dist. of  
a S. Gum 13 " " " S 76 E 38 " "

46.05 a Sugar 12 " "

65.60 a Brook 15 lks. wide runs N.E.

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which  
a Beech 18 in. diam. bear N 52 W 9 lks. dist. of  
a do. 18 " " " S 51 E 17 " "  
First 1/2 mile level, rest waving timber Beech  
Sugar, Oak, Poplar, Gum, Ash &c.

East On Rand<sup>m</sup>. between Secs. 22 & 27

6.20 a water Course 15 lks. wide runs N.E.

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

77.00 a water Course 8 lks. wide runs N.E.

79.90 Intersected the N & S. line 66 lks. N. of post  
Land waving, timber Beech, Oak, Poplar  
Sugar, Gum &c.

T9 N. R. 11 E. 2<sup>d</sup>. Mer. IndianaCh<sup>g</sup>. Lk.West Corrected between Sec<sup>s</sup>. 22 & 27

22.60 a Poplar 48 in. diam.

39.95 Set gr. Sec. post at average dist. from which  
a Sugar 12 in. diam. tray N 50 W 18 lks. dist. of  
a Do. 11 " " " S 53 E 32 " "

46.45 a Beech 40 " "

79.90 to Sec. Corner.

North Between Sec<sup>s</sup>. 21 & 22

10.33 a Beech 22 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 30 in. dia. tray N 48 W 17 lks. dist. of  
a Do. 28 " " " S 89 E 26 " "

43.00 a Watercourse 10 lks. wide runs E.

54.80 a Beech 10 in. diam.

61.40 a Water-course 6 lks. wide runs E.

69.00 a Do. 5 lks. " " E.

80.00 Set post Cor. to Sec<sup>s</sup>. 15, 16, 21 & 22, from which  
a Beech 6 in. dia. tray N 8 W 28 lks. dist. of  
a Do. 12 " " " S 55 E 16 " "Land waving, timber Beech, Poplar, Oak,  
Hickory, Ash &c.East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 15 & 22

8.70 a watercourse 6 lks. wide runs S. E.

20.70 a Do. 5 " " " S. E.

32.75 a Brook 26 lks. wide runs N 60 E.

40.00 Set temp. gr. Sec. post

69.50 a water-course 8 lks. wide runs N. E.

74.40 a Brook 15 lks. wide runs N.

79.93 Intersected the N & S. line 28 lks. N. of post  
Land Broken, timber Beech, Oak, Poplar  
Ash, Hickory &c. January 30<sup>th</sup> 1807West Corrected between Sec<sup>s</sup>. 15 & 22

39.96 1/2 Set gr. Sec. post at average dist. from which

ch. lky.

a Beech 13 in. diam. bray N 7 E 25 lky. dist. 5

a Do. 16 " " " S 42 W 29 " "

65.24 a Poplar 30 " "

79.93 to Sec. Corner.

North Between Sec. 15 &amp; 16

3.88 a Poplar 33 in. diam.

9.00 a water-course 6 lky. wide runs S. E.

40.00 Set gr. sec. post, from which

a Hickory 16 in. diam. bray N 39 W 18 lky. dist. 5

a Beech 10 " " " S 42 W 31 " "

46.00 a Watercourse 8 lky. wide runs E.

47.20 a Beech 16 in. diam.

63.10 a Watercourse 8 lky. wide runs N. E.

80.00 Set post Cor. to Sec. 9, 10, 15 &amp; 16, from which

a Beech 11 in. diam. bray N 36 W 9 lky. dist. 5

a Do. 13 " " " S 36 E 21 " "

Land waving, timber Beech, Oak, Sugar,  
Ash, Poplar &c.East On Land<sup>m</sup>. between Sec. 10 & 15

30.75 a Brook 12 lky. wide runs N. E.

40.00 Set temp. gr. sec. post

58.50 a Brook 20 lky. wide runs N. E.

80.00 Intersected the N &amp; S. line 26 lky. N. of post

Land broken, timber Beech, Oak, Hickory  
Sugar, Poplar &c.

West Connected between Sec. 10 &amp; 15

20.30 a Sugar 14 in. diam.

40.00 Set gr. sec. post at average dist. from which

a Hickory 10 in. diam. bray S 82 W 20 lky. dist. 5

a Do. 9 " " " N 85 W 34 " "

41.05 a Beech 11 " "

80.00 to Sec. Corner



T9 N R11 E. 2<sup>d</sup> Mer. Indiana

Ch. lks.

North Between Sec. 9 &amp; 10

- 8.60 a Watercourse 6 lks. wide runs N. E.  
 11.84 a Beech 17 in. diam.  
 17.00 a Watercourse 4 lks. wide runs E.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Sugar 10 in. diam. bears S 74 W 22 lks. dist. &  
     a Beech 13 " " " S 83 E 9 " "  
 50.64 a Poplar 16 " "  
 59.50 a watercourse 6 lks. wide runs E. (a bend of Langhory Dist.  
     [300 lks.])  
 63.10 a Beech 18 in. diam.  
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
     a Beech 6 in. diam. bears N 14 W 18 lks. dist. &  
     a Do. 12 " " " S 59 E 25 " "  
 Sand & Broken, timber Beech, Oak, Hickory  
 Poplar &c.

East On Rand<sup>m</sup>. between Sec. 3 & 10

- 19.50 Langhory 70 lks. wide runs S.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.98 Intersected the N & S. line 19 lks. N. of post  
 Sand waving, timber same as on last mile

West Connected between Sec. 3 &amp; 10

- 26.31 a Beech 14 in. diam.  
 39.99 Beech 36 in. diam. Cor. from which  
     a Poplar 33 in. diam. bears S 32 E 35 lks. dist.  
     No other bearing tree  
 62.64 a Beech 18 in. diam.  
 79.98 to Section Corner.

North Between Sec. 3 &amp; 4

- 5.40 Langhory Creek 70 lks. wide runs E.  
 10.50 touched a bend of Langhory Creek  
 25.63 a Beech 13 in. diam.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     an Elm 10 in. diam. bears N 34 W 18 lks. dist. &

Ch. lks.

- a Sugar 16 in. diam. bray S 38 E 21 lks. dist.  
 55.21 a Beech 18 " "  
 64.00 a watercourse 6 lks. wide run N.  
 81.62 Intersected the N. boundary 214 lks. E. of post  
 at post Cor. to Sec. 3 & 4, from which  
 a Sugar 16 in. diam. bray S 3 E 36 lks. dist. of  
 a Do. 11 " " " N 25 W 31 " "  
 Sand timber &c. same as on the last mile  
 January 31<sup>st</sup> 1807

North Between Sec. 32 & 33

- 18.87 a Beech 20 in. diam.  
 20.00 a watercourse 6 lks. wide run N.  
 25.20 a Do. 5 " " " N.  
 40.00 Set of Sec. post, from which  
 a Beech 28 in. diam. bray N 63 E 10 lks. dist. of  
 a Do. 26 " " " S 56 W 42 " "  
 70.10 a watercourse 4 lks. wide run N.  
 77.10 a Poplar 15 in. diam.  
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which  
 a Beech 7 in. diam. bray S 62 E 8 lks. dist. of  
 a Hickory 10 " " " N 36 W 5 " "  
 Sand level, timber same as on last mile

East On Rand. between Sec. 28 & 33

- 8.50 a water course 4 lks. wide run N.W.  
 40.00 Set temp. of Sec. post  
 57.20 a watercourse 4 lks. wide run N.  
 62.00 a Do. 10 " " " N.E.  
 80.23 Intersected the N & S. line 5 lks. N. of post  
 Sand timber &c. same as on the last mile

West Cor. to Sec. 28 & 33

- 9.32 a W. Oak 40 in. diam.  
 40.11 Set of Sec. post at average dist. from which  
 a Hickory 13 in. diam. bray N 9 E 15 lks. dist. of



S 9 N N E. 2<sup>d</sup> Mer. Indiana

ch. lky.

a Beech 12 in. diam. bear S 38 1/2 W 32 lky. dist.  
45.39 a Do. 24 " "  
80.23 to Sec. Corner.

## North Between Secs. 28 &amp; 29

2.50 a watercourse 4 lky. wide run N.W.  
7.40 a Beech 24 in. diam.  
28.58 a Beech 22 " "  
29.50 a Watercourse 4 lky. wide run N.W.  
39.50 a Do. 6 " " " W.  
40.00 Set of Sec. post, from which  
a Beech 22 in. diam. bear S 56 E 23 lky. dist. of  
a Sugar 10 " " " S 56 W 9 " "  
74.50 a Watercourse 5 lky. wide run N.W.  
75.10 a Beech 16 in. diam.  
80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which  
a Beech 12 in. diam. bear N 54 1/2 E 5 lky. dist. of  
an Ash 12 " " " S 60 W 28 " "  
Land level, timber Beech, Oak, Poplar  
Ash, Sugar &c.

East On Land<sup>m</sup>. between Secs. 21 & 28

40.00 Set temp<sup>y</sup>. of Sec. post  
80.90 Intersected the N & S. line at the post  
Land timber &c. Same as on the last mile

## West Corried between Secs. 21 &amp; 28

1.47 a Beech 30 in. diam.  
40.45 Set of Sec. post at average dist. from which  
an Ash 13 in. diam. bear S 59 E 11 lky. dist. of  
a Beech 8 " " " S 88 W 19 " "  
50.06 a Maple 16 " "  
80.90 to Sec. Corner

## North Between Secs. 20 &amp; 21

13.30 a Poplar 14 in. diam.

T9 N R11 E. 2<sup>d</sup> Mer. Indiana<sup>57</sup>

ch. 1/4

22.00 a Watercourse 6 lks. wide runs N.W.

31.60 a Do. 8 " " " N.

40.00 Set q. Sec. post, from which  
a Beech 13 in. diam. bears S 67 E 3 lks. dist. &  
a Do. 7 " " " S 57 1/2 W 13 " "

63.32 a Sweet Gum 15 in. diam.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 20 in. diam. bears N 47 E 23 lks. dist. &  
a Do. 6 " " " S 74 1/2 W 19 " "  
Land level, timber Beech, Gum, Poplar,  
Oak, Maple, Ash &c.

East On Land<sup>m</sup>. between Sec. 16 & 21

40.00 Set temp. q. Sec. post

81.14 Intersected the N of S. line 49 lks. N. of post  
Land level 1<sup>st</sup> half very brushy, with fallen  
timber, timber Beech, Sugar, Maple, Oak, Hick &c.

West Corrected between Sec. 16 & 21

9.02 a Poplar 48 in. diam.

40.57 Set q. Sec. post at average dist. from which  
a Beech 13 in. diam. bears North 34 lks. dist. &  
a Do. 17 " " " S 61 W 16 " "

48.31 a Beech 18 " "

81.14 to Sec. Corner Feb. 1<sup>st</sup> 1807

North Between Sec. 16 & 17

19.44 a Beech 16 in. diam.

36.70 a Watercourse 5 lks. wide runs N.

40.00 Set q. Sec. post, from which  
a Beech 16 in. diam. bears S 85 E 22 lks. dist. &  
a W. Oak 48 " " " S 85 W 36 " "

62.97 a Sugar 17 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 11 in. diam. bears N 80 E 7 lks. dist. &  
a Do. 9 " " " S 47 W 9 " "

T<sup>9</sup>N R<sup>11</sup>E. 2<sup>d</sup>. Mer. Indianach. 1<sup>st</sup> 1/2

Land level, timber Beech, Oak, Hickory  
Poplar &c.

East On Land<sup>m</sup>. between Sec. 9 & 16

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

81.20 Intersected the N & S. line 25 lks. N. of post  
Land timber &c. Same as on the last mile

West Connected between Sec. 9 & 16

20.61 a Hickory 11 in. diam.

40.60 Set q<sup>r</sup>. Sec. post at average dist. from which  
an Ash 12 in. diam. bears N 58 W 27 lks. dist. &  
a Maple 10 " " " S 55 E 40 " "

45.66 a Hickory 16 " "

81.20 to Sec. Corner

North Between Sec. 8 & 9

40.00 Set q<sup>r</sup>. Sec. post, from which

a Poplar 48 in. diam. bears N 58 E 32 lks. dist. &

a Sugar 10 " " " S 63 W 28 " "

Land level, timber Beech, Oak, Poplar,  
Hickory, Sugar &c.

49.35 a Beech 18 in. diam.

55.50 a Watercourse 6 lks. wide runs N. E.

71.00 a Brook 20 lks. wide runs N 70 E.

80.00 Set post cor. to Sec. 4, 5, 8 & 9, from which

a Sugar 14 in. diam. bears N 72 E 40 lks. dist. &

a Beech 18 " " " S 39 W 14 " "

Land waving, timber Same as on the 1<sup>st</sup> 1/2 mile

East On Land<sup>m</sup>. between Sec. 4 & 9

34.10 a Brook 20 lks. wide runs N. E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

53.00 a. watercourse 6 lks. wide runs N. E.

81.22 Intersected the N & S. line 13 lks. N. of post

Land timber &c. Same as on last 1/2 of last mile

S 9 N. & E. 2<sup>d</sup> Mer. Indiana 59

ch. 2<sup>th</sup>.

West Cor. bet. Sec. 4 & 9

18.83 an Ash 18 in. diam.

40.61 Set q<sup>r</sup>. Sec. post, from which  
a Beech 13 in. diam. bray N 32 $\frac{1}{2}$  E 19 lks. dist. &  
a Do. 6 " " " S 32 $\frac{1}{2}$  W 12 " "

41.81 a Beech 20 " "

61.18 a Poplar 40 " "

81.22 to Sec. Corner.

North Between Sec. 4 & 5

1.20 a watercourse 8 lks. wide runs S.W.

15.53 a Beech 22 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 6 in. diam. bray N 73 W 7 lks. dist. &  
a Do. 10 " " " S 61 E 16 " "

47.77 Intersected Old Indian boundary & set post  
from which

a Hickory 10 in. diam. bray N 51 W 17 lks. dist. &

a Beech 12 " " " S 25 E 39 " "

Land Broken, timber Beech, Oak, Poplar  
Ash, Hickory &c. (Continued by B. F. Morris)

62.77 a Beech <sup>13</sup> in. diam.

80.87 Intersected the N. Boundary 455 lks. E. of post  
Set post cor. to Sec. 4 & 5, from which

a Beech 20 in. diam. bray N 29 E 3 lks. dist. &

a Do. 14 " " " S 10 W 27 " "

Broken 3<sup>d</sup> rate, Beech, Oak &c. Dec. 4<sup>th</sup> 1819

West Between Sec. 5 & 8 on true line

2.60 a water Course 5 lks. wide runs S.W.

22.81 an Ash 14 in. diam.

30.20 a Watercourse 10 lks. wide runs S.W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a W. Oak 12 in. diam. bray N 70 W 26 lks. dist. &  
an Ash 10 " " " S 73 E 11 " "

48.00 a watercourse 8 lks. wide running S.W.



T9N R11E 2<sup>d</sup> Mer. Indiana

Ch. lks.

54.75 a Beech 30 in. diam.

55.18 a Watercourse 8 lks. wide runs S. E.

67.07 Intersected Ind<sup>n</sup> boundary & set post, from which  
a W. Oak 54 in. diam. bears S 85 E 34 lks. dist. &

a Beech 7 " " " N 53 W 24 " "

Land 1<sup>st</sup> 47 chains Bottom, not broken, timber

Beech, Oak, Elm, Sugar, Ash, Hickory, Poplar &amp;c

East Between Secs. 5 &amp; 8, from the Cor of Secs. 5, 6,

7 & 8, by Nathaniel F. Morris, R.S.

13.95 Intersected Boundary at the Corner

(81.02) the whole length of line between Secs. 5 &amp; 8

The following Notes, Copied from the notes of  
Henry Bechtel.

North Between Secs. 31 &amp; 32, T9N, R11E

5.50 a Beech 18 in. diam.

40.00 Set of Sec. post, from which

a Sugar 15 in. diam. bears N 15 W 26 lks. dist. &amp;

a Beech 12 " " " S 52 E 24 " "

80.00 Set post Cor. to Secs. 29, 30, 31 &amp; 32, from which

a Beech 30 in. diam. bears N 68 W 28 lks. dist. &amp;

a W. Oak 40 " " " S 53 E 24 " "

Land level 2<sup>d</sup> rate, timber Beech, Poplar,  
Blk & White Oak &c.East On Land 9<sup>m</sup> between Secs. 29 & 32

40.00 Set temp. of Sec. post

80.50 Intersected the N &amp; S. line 18 lks. N. of post

Land 2<sup>d</sup> rate, timber Beech, Poplar, Hickory  
Blk & White Oak &c.

West Connected between Secs. 29 &amp; 32

30.40 an Elm 20 in. diam.

40.25 Set of Sec. post at average dist. from which

a Beech 40 in. diam. bears S 60 W 18 lks. dist. &amp;

a Hickory 15 " " " N 67 E 26 " "



T9 N. R11 E. 2<sup>d</sup>. Mer. Indiana 61

ch. lks.

80.50 to Sec. Corner.

North Between Sec. 29 & 30, T9 N. R11 E.

40.00 Set gr. Sec. post, from which  
a Maple 18 in. diam. bray N 22 E 11 lks. dist. &  
a Beech 17 " " " S 5 W 9 " "

41.37 a Hickory 20 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 17 in. diam. bray N 81 E 7 lks. dist. &  
a Do. 16 " " " N 82 W 28 " "  
Land level 2<sup>d</sup>. rate, timber Beech, Maple &c.

East On Rand. between Sec. 20 & 29

12.75 a Brook 15 lks. wide runs N.

40.00 Set temp. gr. Sec. post

80.50 Intersected the N 58 line at the post  
Over high rich land, timber Beech, Hickory  
ash. Blk & W. Oak &c.

West Connected between Sec. 20 & 29

40.25 Set gr. Sec. post at average dist. from which  
a Beech 18 in. diam. bray N 72 W 32 lks. dist. &  
an Ash 18 " " " N 68 E 5 " "

41.70 an Ash 20 " "

80.50 to Sec. Corner.

North Between Sec. 19 & 20

3.95 a Beech 25 in. diam.

40.00 Set gr. Sec. post, from which  
a Hickory 20 in. diam. bray North 2 lks. dist. &  
a W. Oak 18 " " " S 34 W 20 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a B. Gum 25 in. diam. bray N 48 E 9 lks. dist. &  
a Beech 17 " " " S 72 W 18 " "  
Land level & rich, timber Beech, Hickory, ash &c.

## Tg N. R N E. T. Mer. Indiana

ch. 2. 1/2.

East On Rand<sup>m</sup>. between Sec. 17 & 20

28.00 a Brook 15 lks. wide runs N.

40.00 Set temp<sup>t</sup>. gr. Sec. post

80.50 Intersected the N &amp; S line at the post

Flat Beech land. Feb. 5<sup>th</sup> 1807

West Corrected between Sec. 17 &amp; 20

40.25 Set gr. Sec. post at average dist. from which  
a Beech 20 in. diam. bears N 49 E 11 lks. dist. &  
a Do. 18 " " " West 8 " "

40.33 at Beech 18 " "

80.00 a Poplar 50 " "

80.50 to Sec. Corner.

North Between Sec. 17 &amp; 18, Tg N. R N E

10.08 a Poplar 20 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. diam. bears N 49 W 49 lks. dist. &  
a Do. 19 " " " N 6 E 46 " "

42.00 at Brook 10 lks. wide runs N.E.

80.00 Set post Cor to Sec. 7, 8, 17 & 18, from which  
a Beech 19 in. diam. bears S 22 W 26 lks. dist. &  
a Do 18 " " " N 78 E 4 " "Land level 2<sup>d</sup>. rate, timber Beech, Maple,  
Blk & W. Oak &c.East On Rand<sup>m</sup>. between Sec. 8 & 17

30.00 at Brook 10 lks. wide runs N.E.

40.00 Set temp<sup>t</sup>. gr. Sec. post80.50 Intersected the N & S. line at the post  
Over high rich land, timber Beech, Blk & W. Oak &c.

West Corrected between Sec. 8 &amp; 17

40.25 Set gr. Sec. post at average dist. from which  
a Beech 18 in. diam. bears S 28 W 30 lks. dist. &  
a Do. 17 " " " N 17 W 19 " "

T9 N. R. 11 E. 2.<sup>d</sup> Mer. Indiana

63

Ch. Lk.

61.62 a Beech 35 inches diam.

80.50 to Sec. Corner

North Between Sec. 7 & 8

21.05 a Beech 24 inches diam.

30.00 a watercourse 8 lks. wide runs E.

40.00 Set gr. Sec. post, from which

a Beech 12 in. diam. bears N 26° W 19 lks. dist. &

a Hickory 7 " " " S 11° W 12 " "

52.35 a Beech 16 " "

58.80 a Brook 20 lks. wide runs E.

73.90 Intersected Ind. boundary Set post from which

a Beech 12 in. diam. bears S 68° W 5 lks. dist. &

a Do. 24 " " " S 62° E 16 " "

Land waving, timber Beech, Oak, Sugar,  
Poplar, Elm, Hickory &c. February 2.<sup>d</sup> 1887

Continued in 1889 by B. F. Morris, L. S.

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 16 in. diam. bears N 18° W 21 lks. dist. &

a Do. 3 " " " S 22° W 9 " "

North Between Sec. 5 & 6, T9 N. R. 11 E.

15.30 a Beech 30 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 15 in. diam. bears S 31° E 18 lks. dist. &

a Do. 12 " " " N 32° W 18 " "

54.61 a Beech 12 " "

79.42 Intersected the N. boundary 663 lks. E. of post

Set post Cor. to Sec. 5 & 6, from which

a Poplar 20 in. diam. bears South 10 lks. dist. &

a Beech 18 " " " S 45° E 11 " "

Broken 3.<sup>d</sup> rate land Beech, Oak, Hick. &c  
underg<sup>d</sup>. Hogwood &c.

West Between Sec. 6 & 7, T9 N. R. 11 E

23.60 a Beech 24 inches diam.

T9 N. R11 E. 2<sup>d</sup> Mer. Indiana

ch. lks.

- 40.00 Set gr. sec. post, from which  
a Beech 14 in. diam. bay S20 E 13 lks. dist. of  
a do. 12 " " " N15 E 18 " "
- 56.65 Intersected W. boundary 108 lks. N. of post  
Set post corner to Sec. 6 & 7, from which  
a Beech 8 in. diam. bay N10 E 10 lks. dist. of  
a do. 14 " " " S80 W 12 " "
- Broken 3<sup>d</sup> rate land, timber Beech, Oak &c.  
underg<sup>d</sup>. dogwood &c. December 4<sup>th</sup> 1819  
Surveyed By B. F. Morris, L. S.
- 

## West Between Sec. 7 &amp; 18

- 1.53 a Beech 25 inches diam.
- 40.00 Set gr. sec. post, from which  
a W. Oak 60 in. diam. bay N33 W 7 lks. dist. of  
a Poplar 25 " " " S8 E 31 " "
- 55.99 Intersected the W. boundary 40 lks. N. of post  
Set post cor. to Sec. 7 & 18, from which  
a Beech 20 in. diam. bay N87 E 26 lks. dist. of  
a do. 15 " " " N12 W 6 " "
- Over level Beech land
- 

## West Between Sec. 18 &amp; 19 T9 N. R11 E.

- 7.13 a Beech 25 in. diam.
- 40.00 Set gr. sec. post, from which  
a Hickory 25 in. diam. bay N46 E 4 lks. dist. of  
a Beech 26 " " " N22 W 29 " "
- 55.59 Intersected the W. boundary 54 lks. N. of post  
Set post cor. to Sec. 18 & 19, from which  
a Hickory 18 in. diam. bay N46 E 11 lks. dist. of  
a Beech 15 " " " N44 W 8 " "
- Flat Beech land
- 

## West Between Sec. 19 &amp; 30

- 11.76 a Sugar 20 in. diam.
- 40.00 Set gr. sec. post from which



ch. 1<sup>st</sup> 1/2.

a Hickory 20 in. diam. bray S35W 24 lks. dist. of  
a Beech 12 " " " N35E 2 " "  
55.43 Intersected the W. boundary 31 lks. N. of post  
Set post cor. to Sec. 19 & 30, from which  
a Beech 19 in. diam. bray N66W 19 lks. dist. of  
a W. Oak 70 " " " East 9 " "  
A Beech & Maple thicket soil thin

West 1 Between Sec. 30 & 31, T9 N, R11 E.

10.50 a Beech 27 inches diameter

40.00 Set of: sec. post, from which

a Sugar 19 in. diam. bray N29E 14 lks. dist. of

a Beech 10 " " " S58W 10 " "

55.30 Intersected the W. boundary at the post  
High rich land, timber Beech, Poplar, ash  
Cum &c.

February 2<sup>nd</sup> 1807

John Brownson,

Deputy Surveyor

N.W. of the Boundary line (in the New Purchase)  
Surveyed By Nathaniel F. Morris,

Deputy Surveyor

Compare

I certify, that the foregoing transcript of field notes  
of Township N. 9 North, Range N. 11 East 2<sup>nd</sup>  
Principal Mer. Indiana, has been compared with  
the original notes in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Dec. 31. 1842

William Johnston  
Sur. Genl.